

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in SCR [South Central Region], by sex and race/ethnicity, 2005

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	17	77	a	0	0	a	17	74	a
Black, not Hispanic	*	*	a	*	100	a	5	22	a
Hispanic	*	*	a	0	0	a	*	*	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	*	*	a	0	0	a	*	*	a
Total	*	100	a	*	100	a	23	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in SCR [South Central Region], by sex and age at diagnosis, 2005

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	*	*	0	0	*	*
25-34	8	36	0	0	8	35
35-44	*	*	*	100	10	43
45-54	*	*	0	0	*	*
55-64	*	*	0	0	*	*
>=65	0	0	0	0	0	0
Total	*	100	*	100	23	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in SCR [South Central Region], by sex and exposure category, 2005

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	17	77	a	a	17	74
Injection drug use (IDU)	*	*	0	0	*	*
Male-to-male sex and IDU	0	0	a	a	0	0
Heterosexual contact	0	0	*	100	*	*
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	*	*	0	0	*	*
Total	*	100	*	100	23	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in SCR [South Central Region], by race/ethnicity and exposure category, 2005

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	14	82	*	*	*	100	0	0	0	0	0	0	17	74
Injection drug use (IDU)	*	*	0	0	0	0	0	0	0	0	0	0	*	*
Male-to-male sex and IDU	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Heterosexual contact	0	0	*	*	0	0	0	0	0	0	*	*	*	*
Mother with/at risk for HIV	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other/unknown	*	*	*	*	0	0	0	0	0	0	0	0	*	*
Total	17	100	5	100	*	100	0	0	0	0	*	*	23	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in SCR [South Central Region], by sex and tuberculosis comorbidity, 2005

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	*	100	*	100	23	100
Definitive case	0	0	0	0	0	0
Presumptive case	0	0	0	0	0	0
Total	*	100	*	100	23	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in SCR [South Central Region], by sex and race/ethnicity, 2005

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	*	100	a	*	100	a	*	100	a
Black, not Hispanic	0	0	a	0	0	a	0	0	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	*	100	a	*	100	a	*	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in SCR [South Central Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	*	14	8	*	*	294
Females	*	6	9	*	*	98
Total	16	20	17	21	23	392

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in SCR [South Central Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	10	16	7	11	17	274
Black, not Hispanic	5	*	9	7	5	105
Hispanic	0	0	*	*	*	11
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	*	0	0	0	0	1
Unknown/Multiple Race	*	*	*	*	*	1
Total	16	20	17	21	23	392

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in SCR [South Central Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	6	10	*	11	17	211
White, not Hispanic: Female	*	6	*	0	0	63
Black, not Hispanic: Male	5	*	*	5	*	73
Black, not Hispanic: Female	0	0	5	*	*	32
Hispanic: Male	0	0	0	*	*	8
Hispanic: Female	0	0	*	0	0	3
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	*	0	0	0	0	1
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	1
Unknown/Multiple Race: Female	0	*	0	0	0	0
Total	16	20	17	21	23	392

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in SCR [South Central Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	*	0	0	0	0	1
13-14	0	0	0	0	0	0
15-24	0	*	0	*	*	40
25-34	5	*	*	9	8	145
35-44	7	8	9	6	10	125
45-54	*	6	*	*	*	58
55-64	0	*	*	*	*	19
>=65	0	0	0	0	0	4
Total	16	20	17	21	23	392

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in SCR [South Central Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	9	11	*	7	17	172
Injection drug use (IDU)	*	0	*	*	*	60
Male-to-male sex and IDU	0	0	*	*	0	22
Heterosexual contact	*	5	*	*	*	76
Mother with/at risk for HIV	0	*	0	0	0	1
Other/unknown	*	*	5	6	*	61
Total	16	20	17	21	23	392

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
HIV (not AIDS) cases among persons in SCR [South Central Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	*	*	*	*	*	93
Females	*	*	*	*	*	45
Total	*	9	*	11	15	138

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV (not AIDS) cases among persons in SCR [South Central Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	*	6	*	6	11	90
Black, not Hispanic	*	*	*	*	*	44
Hispanic	0	0	0	*	0	4
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	*	0	0	*	0
Total	*	9	*	11	15	138

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV (not AIDS) cases among persons in SCR [South Central Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	*	*	0	6	11	61
White, not Hispanic: Female	*	*	*	0	0	29
Black, not Hispanic: Male	*	*	*	*	*	29
Black, not Hispanic: Female	0	0	*	*	*	15
Hispanic: Male	0	0	0	*	0	3
Hispanic: Female	0	0	0	0	0	1
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	*	9	*	11	15	138

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV (not AIDS) cases among persons in SCR [South Central Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	0	*	0	*	*	22
25-34	*	*	*	6	5	47
35-44	*	*	*	*	8	44
45-54	0	*	*	*	0	19
55-64	0	*	0	0	*	5
>=65	0	0	0	0	0	1
Total	*	9	*	11	15	138

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV (not AIDS) cases among persons in SCR [South Central Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	*	5	0	*	10	49
Injection drug use (IDU)	0	0	*	*	*	22
Male-to-male sex and IDU	0	0	0	*	0	6
Heterosexual contact	*	*	*	*	*	35
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	0	*	*	*	*	26
Total	*	9	*	11	15	138

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in SCR [South Central Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	*	*	8	*	*	201
Females	*	*	8	*	*	53
Total	13	14	16	16	12	254

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in SCR [South Central Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	7	12	9	8	9	184
Black, not Hispanic	5	*	6	6	*	61
Hispanic	0	0	*	*	*	7
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	*	0	0	0	0	1
Unknown/Multiple Race	*	*	*	*	0	1
Total	13	14	16	16	12	254

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in SCR [South Central Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	*	8	5	7	9	150
White, not Hispanic: Female	*	*	*	*	0	34
Black, not Hispanic: Male	5	*	*	*	*	44
Black, not Hispanic: Female	0	0	*	*	*	17
Hispanic: Male	0	0	0	*	*	5
Hispanic: Female	0	0	*	0	0	2
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	*	0	0	0	0	1
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	1
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	13	14	16	16	12	254

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in SCR [South Central Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	1
13-14	0	0	0	0	0	0
15-24	0	0	0	0	0	11
25-34	5	*	*	*	*	97
35-44	6	6	9	*	*	80
45-54	*	6	*	5	6	45
55-64	0	0	*	*	0	16
>=65	*	*	0	*	0	4
Total	13	14	16	16	12	254

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in SCR [South Central Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	6	8	*	5	8	123
Injection drug use (IDU)	*	0	*	*	*	38
Male-to-male sex and IDU	0	*	*	*	*	16
Heterosexual contact	*	*	*	*	0	41
Mother with/at risk for HIV	0	0	0	0	0	1
Other/unknown	*	*	5	*	0	35
Total	13	14	16	16	12	254

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in SCR [South Central Region], by year and sex

	2001	2002	2003	2004	2005
Sex	No.	No.	No.	No.	No.
Males	143	151	153	168	189
Females	64	65	70	69	69
Total	207	216	223	237	258

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in SCR [South Central Region], by year and race/ethnicity

	2001	2002	2003	2004	2005
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	133	141	141	149	164
Black, not Hispanic	66	67	73	77	82
Hispanic	6	6	7	9	10
Asian/Pacific Islander	0	0	0	0	0
American Indian/Alaska Native	*	*	*	*	*
Unknown/Multiple Race	*	*	*	*	*
Total	207	216	223	237	258

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in SCR [South Central Region], by year and race/ethnicity:sex

	2001	2002	2003	2004	2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.
White, not Hispanic: Male	91	97	97	106	122
White, not Hispanic: Female	42	44	44	43	42
Black, not Hispanic: Male	46	48	50	53	57
Black, not Hispanic: Female	20	19	23	24	25
Hispanic: Male	*	*	*	7	8
Hispanic: Female	*	*	*	*	*
Asian/Pacific Islander: Male	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0
American Indian/Alaska Native: Male	*	*	*	*	*
American Indian/Alaska Native: Female	0	0	0	0	0
Unknown/Multiple Race: Male	*	*	*	*	*
Unknown/Multiple Race: Female	0	0	0	0	0
Total	207	216	223	237	258

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in SCR [South Central Region], by year and current age

	2001	2002	2003	2004	2005
Current age (yrs)	No.	No.	No.	No.	No.
<13	0	0	0	0	0
13-14	*	*	*	*	*
15-24	*	*	*	*	*
25-34	30	30	32	40	47
35-44	77	78	81	84	95
45-54	65	70	72	76	77
55-64	24	25	26	26	27
>=65	10	10	10	9	9
Total	207	216	223	237	258

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in SCR [South Central Region], by year and exposure category

	2001	2002	2003	2004	2005
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	79	87	86	91	107
Injection drug use (IDU)	39	37	39	40	42
Male-to-male sex and IDU	9	9	10	13	13
Heterosexual contact	49	52	54	57	57
Mother with/at risk for HIV	*	*	0	0	0
Other/unknown	*	*	34	36	39
Total	207	216	223	237	258

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SCR [South Central Region], by year of death and sex

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	*	6	*	*	*	105
Females	*	5	*	*	*	29
Total	9	11	10	7	*	134

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in SCR [South Central Region], by year of death and race/ethnicity

Race/ethnicity	2001	2002	2003	2004	2005	Cumulative deaths through 2005
	No.	No.	No.	No.	No.	No.
White, not Hispanic	*	*	*	*	*	110
Black, not Hispanic	*	*	*	*	0	23
Hispanic	0	0	0	*	0	1
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	9	11	10	7	*	134

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in SCR [South Central Region], by year of death and race/ethnicity:sex

Race/ethnicity:Sex	2001	2002	2003	2004	2005	Cumulative deaths through 2005
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	*	*	*	*	*	89
White, not Hispanic: Female	*	*	*	*	*	21
Black, not Hispanic: Male	*	*	*	*	0	16
Black, not Hispanic: Female	*	*	*	*	0	7
Hispanic: Male	0	0	0	0	0	0
Hispanic: Female	0	0	0	*	0	1
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	9	11	10	7	*	134

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SCR [South Central Region], by year of death and age at death

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	*	0	0	1
15-24	0	0	0	0	0	2
25-34	*	*	*	*	0	46
35-44	*	6	*	*	0	47
45-54	*	*	*	*	*	25
55-64	0	0	*	*	0	9
>=65	0	0	0	*	0	4
Total	9	11	10	7	*	134

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons with unknown age.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SCR [South Central Region], by year of death and exposure category

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	*	*	*	*	*	65
Injection drug use (IDU)	*	*	*	0	0	18
Male-to-male sex and IDU	*	0	0	0	0	9
Heterosexual contact	*	*	*	*	*	19
Mother with/at risk for HIV	0	0	*	0	0	1
Other/unknown	*	*	*	*	0	22
Total	9	11	10	7	*	134

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.